


## **CLAIM AMENDMENTS**

The following listing of claims will replace all prior versions and listings of claims in this application. Please amend the claims as follows.

### **Listing of Claims:**

1. (Previously presented) An ink recordable substrate coating composition having a pH less than 7 comprising:
  - (a) an aqueous polyurethane dispersion comprising an anionic polyurethane comprising aromatic polyether polyurethanes, aliphatic polyether polyurethanes, aromatic polyester polyurethanes, aliphatic polyester polyurethanes, aromatic polycaprolactam polyurethanes, and/or aliphatic polycaprolactam polyurethanes; and
  - (b) an aqueous solution of a nitrogen containing polymeric dye fixative compound.
2. (Cancelled)
3. (Cancelled)
4. (Previously presented) The ink recordable substrate coating composition of claim 1 wherein the anionic polyurethane has one or more acid groups selected from the group consisting of carboxylic acid, sulfonic acid and mixtures thereof.
5. (Previously presented) The ink recordable substrate coating composition of claim 1 wherein the aqueous solution of a nitrogen containing polymeric dye fixative compound comprises a polymer comprising monomer residues derived from one or more nitrogen containing monomers comprising:



wherein  $\text{R}^1$  is selected independently for each occurrence in each structure from the group consisting of H and  $\text{C}_1$  to  $\text{C}_3$  aliphatic;  $\text{R}^2$  is independently for each structure a divalent linking group selected from the group consisting of  $\text{C}_2$  to  $\text{C}_{20}$  aliphatic hydrocarbon, polyethylene glycol and polypropylene glycol;  $\text{R}^3$  is independently for each occurrence in each structure selected from the group consisting of H,  $\text{C}_1$  to  $\text{C}_{22}$  aliphatic hydrocarbon and a residue from the reaction of the nitrogen with epichlorohydrin; Z is selected from the group consisting of  $-\text{O}-$  and  $-\text{NR}^4-$ , where  $\text{R}^4$  is selected from the group consisting of H and  $\text{CH}_3$ ; and X is selected from the group consisting of halides and methylsulfate.

6. (Original) The ink recordable substrate coating composition of claim 1 wherein the aqueous polyurethane dispersion is present at from 10 to 70 percent by weight of the ink recordable substrate coating composition and the aqueous solution of a nitrogen containing polymeric dye fixative compound is present at from 30 to 90 percent by weight of the ink recordable substrate coating composition.

7. (Original) The ink recordable substrate coating composition of claim 5 wherein the nitrogen containing monomer is one or more selected from the group consisting of dimethyl aminoethyl (meth)acrylate, (meth)acryloyloxyethyl trimethyl ammonium halides, (meth)acryloyloxyethyl trimethyl ammonium methylsulfate, dimethyl aminopropyl (meth)acrylamide, (meth)acrylamidopropyl trimethyl ammonium halides, (meth)acrylamidopropyl trimethyl ammonium methylsulfate, aminoalkyl (meth)acrylamides where the amine is reacted with epichlorohydrin, diallyl amine, methyl diallyl amine, and diallyl dimethyl ammonium halides.

8. (Canceled)

9. (Original) The ink recordable substrate coating composition of claim 1 wherein the total resin solids is from 1 to 35 wt.% based on the total weight of the ink recordable substrate coating composition.


10. (Original) The ink recordable substrate coating composition of claim 1 wherein the viscosity of the ink recordable substrate coating composition is less than 500 cps.


11. (Original) The ink recordable substrate coating composition of claim 1 prepared by mixing the nitrogen containing polymeric dye fixative compound (b) into the aqueous polyurethane dispersion (a).

12. (Previously presented) An ink recordable substrate coating composition having a pH less than 7 formed by adding (a) an aqueous solution of a polymeric nitrogen containing dye fixative compound to (b) an aqueous anionic polyurethane dispersion comprising one or more anionic polyurethanes comprising

aromatic polyether polyurethanes, aliphatic polyether polyurethanes, aromatic polyester polyurethanes, aliphatic polyester polyurethanes, aromatic polycaprolactam polyurethanes, and/or aliphatic polycaprolactam polyurethanes; wherein the total resin solids is from 1 to 35 wt.% based on the total weight of the ink recordable substrate coating composition and the viscosity of the ink recordable substrate coating composition is less than 500 cps.

13. (Original) The ink recordable substrate coating composition of claim 12 wherein the aqueous solution of a polymeric nitrogen containing dye fixative compound comprises a polymer comprising monomer residues derived from one or more nitrogen containing monomers selected from the group consisting of:





wherein  $\text{R}^1$  is selected independently for each occurrence in each structure from the group consisting of H and  $\text{C}_1$  to  $\text{C}_3$  aliphatic;  $\text{R}^2$  is independently for each structure a divalent linking group selected from the group consisting of  $\text{C}_2$  to  $\text{C}_{20}$  aliphatic hydrocarbon, polyethylene glycol and polypropylene glycol;  $\text{R}^3$  is independently for each occurrence in each structure selected from the group consisting of H,  $\text{C}_1$  to  $\text{C}_{22}$  aliphatic hydrocarbon and a residue from the reaction of the nitrogen with epichlorohydrin; Z is selected from the group consisting of  $-\text{O}-$  and  $-\text{NR}^4-$ , where  $\text{R}^4$  is selected from the group consisting of H and  $\text{CH}_3$ ; and X is selected from the group consisting of halides and methylsulfate.

14. (Original) The ink recordable substrate coating composition of claim 12 wherein the aqueous anionic polyurethane dispersion is present at from 10 to 70 percent by weight of the ink recordable substrate coating composition and the aqueous solution of a nitrogen containing polymeric dye fixative compound is present at from 30 to 90 percent by weight of the ink recordable substrate coating composition.

15. (Original) The ink recordable substrate coating composition of claim 13 wherein the nitrogen containing monomer is one or more selected from the group consisting of dimethyl aminoethyl (meth)acrylate, (meth)acryloyloxyethyl trimethyl ammonium halides, (meth)acryloyloxyethyl trimethyl ammonium methylsulfate, dimethyl aminopropyl (meth)acrylamide, (meth)acrylamidopropyl trimethyl ammonium halides, (meth)acrylamidopropyl trimethyl ammonium methylsulfate, aminoalkyl (meth)acrylamides where the amine is reacted with epichlorohydrin, diallyl amine, methyl diallyl amine, and diallyl dimethyl ammonium halides.

16. (Original) The ink recordable substrate coating composition of claim 12 wherein the nitrogen containing polymeric dye fixative compound is a polyamide amine reacted with epichlorohydrin.

17. (Previously presented) The ink recordable substrate coating composition of claim 12 wherein the anionic polyurethane comprises aromatic polyether polyurethanes, aliphatic polyether polyurethanes, aromatic polyester polyurethanes, and/or aliphatic polyester polyurethanes.

18-109. (Cancelled)